MINI GRAND ROUNDS COVID-19 SERIES

Surgical Updates and COVID-19

Steven Schwaitzberg, MD, FACS
Professor and Chairman, Department of Surgery, University at Buffalo
Medical Director, Surgical Program Development, Kaleida Health
President, UBMD Surgery







You have within you, right now, everything you need to deal with whatever the world can throw at you.

(except PPE)

This year in Kaleida surgery








CUOMO: ALL ELECTIVE SURGERIES IN NEW YORK STATE
TO BE CANCELED



BOB JOSEPH | March 22, 2020





Local News I Team Coronavirus We're Open The Rebound Buffalo Buffalo Strong


National News Tips

NEWS > LOCAL NEWS





Catholic Health hospitals approved to resume elective surgeries



May 6, 2020

State approves elective surgeries at Catholic Health

Challenges

Intubation

Above the clavicle

Endoscopy

PACU - converted to ICU

Emergent and Urgent Surgery Only

Testing/PPE

ORs converted ICUs

Extended recovery in isolation

Aerosolization

Priorities

Surgical Executive Committee



MET TWICE A WEEK FOR NEARLY 2 MONTHS



DEVELOPED 2 ICU FOR SURGE PLAN



RESPONDED TO CONTINUALLY CHANGING SURGICAL PRIORITIES FROM THE STATE

Burstein decries state delay in full reopening of elective surgery facilities

By Tom Precious Jun 2, 2020 Updated Jul 9, 2020 🗪 0

June 2, 2020



Buffalo General Hospital (Robert Kirkham/Buffalo News)

By Robert Kirkham/Buffalo News

LBANY - People desperate for a haircut, or wanting to go into a retail

Statement Regarding Resumption of Elective Surgery in Erie County

Kaleida Health released the following statement today regarding New York State's daily COVID-19 update which includes news about elective surgery.

Released: 6/3/2020

4:35:15 PM

Jody Lomeo, president and CEO of Kaleida Health, said, "We are thrilled for the residents in Erie County and for the patients in our community. Hearing the Governor's announcement that the County is now eligible to resume elective surgeries and ambulatory care is another step forward in re-opening of Western New York.


"The COVID-19 pandemic has certainly stressed the healthcare delivery system here in our community and across the State. However, more notably, the coronavirus has also put undue stress on thousands of patients who had to put their health on hold as we battled this crisis together. We are most happy for these patients, who can now receive the tremendous care that our local healthcare delivery system is known for. It's a win for them.



Total Admissions	301 ←	 Nursing homes 38 (12.6%)
Deaths	60 (19.9%)	 Nursing homes 24 (40.0%)
 Discharges 	184 (61.2%)	, ,
 Remain hospitalized 	57 (18.9%)	
Critical Care use	133 (44.2%)	NYC early NYC late
 Deaths 	46 (34.6%)	78% 39%
 Discharged 	54 (40.6%)	23%
 Remain hospitalized 	33 (24.8%)	37%
Intubations 74 (55.6% of I	CU admissions)	79%
Deaths	31 (41.9%)	88% 41%
 Extubated - inpatient 	32 (43.2%)	
 Tracheostomy 	3 (4.1%)	
Remain on the vent	8 (10.8%)	

Ave LOS for survivors in days

•	Overall	9.4 (0-51)
•	Patients requiring ICU care	15.9
	Patients not requiring ICU care	6.7



Original Investigation

Abstract

ONLINE FIRST FREE

June 12, 2020

Factors Associated With Surgical Mortality and Complications Among Patients With and Without Coronavirus Disease 2019 (COVID-19) in Italy

PMCID: PMC7229873 PMID: 32418028 Francesco Doglietto, MD, PhD1; Marika Vezzoli, PhD2; Federico Gheza, MD3 » Author Affiliations | Article Information Hazardous Postoperative Outcomes of Unexpected COVID-19 Infected doi: 10.1007/s00268-020-05575-2 [Epub ahead of print] JAMA Surg. Published on!:-World J Surg. 2020 May 16: 1-5. Patients: A Call for Global Consideration of Sampling all Asymptomatic Chen Nahshon, 21 Arie Bitterman, 2 Riad Haddad, 3 David Hazzan, 4 and Ofer Lavie 1 Patients Before Surgical Treatment Author information

Copyright and License information <u>Disclaimer</u> Go to: 🗹 This article has been cited by other articles in PMC.



COVID-19 patients who undergo surgery are at increased risk of postoperative death by University of Birmingham

Patients undergoing surgery after contracting coronavirus are at greatly increased risk of postoperative death, a new global study published in The Lancet reveals. Researchers found that amongst SARS-CoV-2 infected patients who underwent surgery, mortality rates approach those of the sickest patients admitted to intensive care after contracting the virus in the community.

Researchers examined data for 1,128 patients from 235 hospitals. A total of 24 countries participated, predominantly in Europe, although hospitals in Africa, Asia, and North America

>10x mortality for major and minor cases Increased pulmonary/vascular

Current Status

Elective Surgery Ongoing

NY DOH mandates testing for all procedures

Lag time increased to 5 days for testing

Unending gratitude for Dr T and the testing team.....